


SOLD



“GEA” MULTIDRUM

- all stainless steel
- mobile
- adjustable speed
- belt width 600 mm
- dimensions (l x w x h) : ± 3.650 x 1.600 x 1.850 mm
- Belt min/max speed: 2.5 – 25 m/min.
- Voltage: 380 – 415 V
- Power: 4 kW
- Frequency: 50 Hz
- Amperage: 9 A

This machine is sold with a conveyor (GEA MultiDrum Outfeed Conveyor).

- Conveyor specifications:
- Year of construction: 2015
- Voltage: 380 – 415 V
- Frequency: 50 – 60 Hz
- Power: 0.37 kW.
- Intensity: 1.2A

GEA MultiDrum homestyle breader is typically suitable for applications such as for bone-in and boneless chicken tenders, cuts, shrimps, fish and onion rings.

Best in class performance

- Perfect homestyle appearance, like mom use to make
- Full spread across the outfeed belt width without manual labor
- Better control of flour pick-up and wider pick-up range

Reliability you can count on

- Patented dual (600) drums significantly reduce flour usage and increased line throughput
- High-quality products with no compromise on line performance
- Best application know-how from meat preparation to cooking

High efficiency in a smart design

Office Barsso NV

Houtekietstraat 9, 8540, Deerlijk, Belgium - info@barsso.com - [+3256773350](tel:+3256773350) - +32 56 77 34 33

- Full process control via adjustable flour bed, drum angle and drum speed and automated flour dosing
- Thorough, automatic cleaning of the whole machine
- Minimal manual handling and labor

Interested? Contact us!
phone: +32 56 77 33 50 - email: info@barsso.com