

SOLD



COMPLETE LINE 400MM "CFS – GEA" FOR NUGGETS

Consisting of :

"GEA-CFS" former

Type VM 400 HSE

- all stainless steel
- die width 400 mm
- usable die surface 370 x 130 mm
- maximum volume per stroke $\pm 1,5$ kg
- speed up to ± 55 strokes / minute
- power 7,67 kW

- air pressure 6 bar
- water pressure max 4 bar
- air consumption ± 300 L / min.
- hopper capacity 250L
- dimensions (l x w x h) : $\pm 2.400 \times 914 \times 2.100$ mm
- weight 1200 kg
- 3x400v 50 Hz
- PLC control
- variable speed
- mobile

+

"GEA-CFS" pre-duster

Type PRM 400 MEG

- mobile
- belt width 400 mm
- adjustable speed
- with air knife
- dimensions (l x w x h) : $\pm 3.700 \times 900 \times 1.800$ mm

+

Tempura Dipper "Alco"

Type ADT 400 NH

- belt width 400 mm
- all stainless steel
- adjustable speed
- with lower and upper belt
- adjustable upper belt
- with air knives
- extra infeed belt
- with outfeed belt
- mobile
- dimensions (l x w x h) : $\pm 2.700 \times 1.000 \times 1.600$ mm

+

"GEA-CFS" fryer

Type BRN 3000/500

- all stainless steel
- electrically heated
- 72 kW heating capacity
- 75 kW total connected power
- net frying length : ± 3.000 mm
- net belt width : ± 500 mm
- in- and outfeed belt
- teflon infeed belt
- adjustable speed
- sediment removal system
- filter

- suitable for fire protection
- mechanical hoists
- dimensions (l x w x h) : ± 6.300 x 1.700 x 3.100 mm

+

Oil Management System

Type VTC 1100-194

single wall tank

oil pump

dimensions (l x w x h) : ± 1.800 x 1.500 x 1.700 mm

Interested? Contact us!
phone: +32 56 77 33 50 - email: info@barsso.com